



FEC

ELEVATE YOUR BUSINESS

XC-574


20230621

Color Plan











Dual
Layer




Front I/O




I/O Interface



2nd I/O-1



2nd I/O-2

QUICK SPECIFICATIONS

	XC-574
Processor	Alder Lake –S Up to i5
Chipset	H610
Memory	4GB Standard, Max 32GB (1 x So-DIMM DDR4)
Storage	1 x M.2 Support PCIe Gen III (Default) Tray
OS Support	Windows 10 Enterprise Windows 11 Enterprise Linux by Request
Speaker	2W x 2
Power	90W or 130W Adapter
Mounting	VESA 75 x 75
Front I/O	USB Type A 2.0 x 2
Rear I/O	RJ11 Cash Draw x1, RJ45 x2, USB Type A 2.0 x 1, USB Type A 3.0 x 3, Giga Lan x 1, HDMI x 1, Smart DD x 1, DC-IN, Smart I/O x 1
2 nd I/O (Optional)	2 nd IO-1: COM x 2(DB9 x 1/RJ45 x 1), USB Type A 2.0 x 4, 12V DC-Out x 1
	2 nd IO-2: PUSB 24V x 1, PUSB 12V x 3
TPM 2.0	dTPM & Intel PTT

Daisy Chain

Smart DD Monitor:
XM-3010W
XM-3015
XM-3015W




Smart DD
One cable
For 1st Monitor

Smart DD
One cable
For 2nd Monitor

Desk-Mounting















FEC

ELEVATE YOUR BUSINESS

THANK YOU